

क्रमांक.कलि./आप.व्यव./कावि-२३८२/२०११  
जिल्हाधिकारी यवतमाळ यांचे कार्यालय,  
यवतमाळ २८ डिसेंबर,२०११

### **जाहीरात.**

जिल्हाधिकारी कार्यालय, यवतमाळ  
आपत्ती सौम्यीकरण उपाय योजनेअंतर्गत शोध व बचाव साहित्य  
(Disaster Management Equipments)  
खरेदी बाबत जाहीर निविदा सूचना

महाराष्ट्र शासन, महसूल व वन विभाग, मदत व पुनर्वसन विभाग, मंत्रालय, मुंबई दिनांक १७ ऑगस्ट,२०११ नुसार यवतमाळ जिल्हयात आपत्ती सौम्यीकरण उपाययोजना राबविण्याकरिता जिल्हाधिकारी तथा अध्यक्ष, जिल्हा आपत्ती व्यवस्थापन प्राधिकरण,यवतमाळ यांचेकडून, नवीन शोध व बचाव साहित्य (Disaster Management Equipments) खरेदी बाबत जाहीर निविदा सूचना प्रसिध्द करण्यात येत असून हया संबंधित अधिकृत उत्पादक/ अधिकृत वितरक/ अधिकृत विक्रेता यांचेकडून दोन लिफाफा पध्दतीने खुल्या निविदेद्वारे मोहोरबंद निविदा मागविण्यात येत आहेत. निविदेच्या सविस्तर अटी व शर्ती निविदा फॉर्ममध्ये नमुद केल्या आहे. तसेच याबाबत सविस्तर माहिती [www.yavatmal.nic.in](http://www.yavatmal.nic.in) या संकेत स्थळावर उपलब्ध आहेत. नमुद दिनांकानंतर प्राप्त निविदाचा विचार केला जाणार नाही याची नोंद घ्यावी.

१. कोऱ्या निविदा विक्रीची तारीख व वेळ :- ३०/१२/२०११ ते १३/१/२०१२ वेळ सकाळी १०.०० ते दु.३.०० पर्यंत
२. कोऱ्या निविदा फॉर्मची किंमत रु.५००/- (अक्षरी रुपये पाचशे फक्त)
३. निविदा विक्रीचे ठिकाण जिल्हाधिकारी कार्यालय, यवतमाळ ( आपत्ती व्यवस्थापन विभाग)
४. निविदा स्विकारण्याची अंतीम तारीख :- १३/१/२०१२ ला दुपारी २.०० वाजेपर्यंत.
५. निविदा पत्रक उघडण्याची तारीख :- १३/१/२०१२ ला दुपारी ४.०० वाजता.

प्राप्त निविदा पैकी कोणतीही निविदा स्विकृत करण्याचा व कोणतेही कारण न देता निविदा रद्द करण्याचा तथा संपुर्ण निविदा प्रक्रिया रद्द करण्याचा अधिकार जिल्हाधिकारी यवतमाळ यांचेकडे राखुन ठेवण्यात येत आहे.

(मा.जिल्हाधिकारी यांनी टिपणी अनुमोदीत केल्यावरून)

स्वा /-  
जिल्हाधिकारी तथा अध्यक्ष,  
जिल्हा आपत्ती व्यवस्थापन प्राधिकरण,  
यवतमाळ

**आपती सौम्यीकरण उपाय योजनेअंतर्गत  
शोध व बचाव साहित्य..**

**(Disaster Management Equipments)**

**खरेदी बाबत जाहीर निविदा सूचना**

**नमुना “ ड ” (अटी व शर्ती)**

**जिल्हाधिकारी कार्यालय, यतवमाळ**

(.. १ ..)

अर्जदार :-  
निविदा क्रमांक :-  
पावती क्रमांक :-  
रक्कम रूपये :-

जिल्हाधिकारी कार्यालय, यवतमाळ  
(आपत्ती व्यवस्थापन विभाग)  
आपत्ती सौम्यीकरण उपाय योजनेअंतर्गत शोध व बचाव साहित्य  
(Disaster Management Equipments)  
खरेदी बाबत जाहीर निविदा सूचना

महाराष्ट्र शासन, महसूल व वन विभाग, मदत व पुनर्वसन विभाग, मंत्रालय, मुंबई दिनांक १७ ऑगस्ट, २०११ नुसार यवतमाळ जिल्ह्यात आपत्ती सौम्यीकरण उपाययोजना राबविण्याकरिता जिल्हाधिकारी तथा अध्यक्ष, जिल्हा आपत्ती व्यवस्थापन प्राधिकरण, यवतमाळ यांचेकडून नवीन शोध व बचाव साहित्य (Disaster Management Equipments) खरेदी बाबत जाहीर निविदा सूचना प्रसिध्द करण्यात येत असून ह्या संबंधित अधिकृत उत्पादक/ अधिकृत वितरक/ अधिकृत विक्रेता यांचेकडून दोन लिफाफा पध्दतीने खुल्या निविदेद्वारे मोहोरबंद निविदा मागविण्या येत आहेत. नमुद दिनांकानंतर प्राप्त निविदाचा विचार केला जाणार नाही याची नोंद घ्यावी.

१. कोऱ्या निविदा विक्रीची तारीख व वेळ :- ३०/१२/२०११ ते १३/१/२०१२ वेळ सकाळी १०.०० ते दु.३.०० पर्यंत
२. कोऱ्या निविदा फॉर्मची किंमत :- समक्ष रु.५००/- (अक्षरी रूपये पाचशे फक्त)
३. निविदा स्विकारण्याची अंतीम तारीख :- १३/०१/२०१२ ला दुपारी २.०० वाजेपर्यंत.
४. निविदा पत्रक उघडण्याची तारीख :- १३/०१/२०१२ ला दुपारी ४.०० वाजता.
५. कोऱ्या निविदा जिल्हाधिकारी कार्यालयात आपत्ती व्यवस्थापन विभाग येथे विनंती अर्जाद्वारे कार्यालयीन कामाचे दिवशी परिशिष्टात दर्शविलेल्या किंमती प्रमाणे रोखीने सकाळी ११.०० ते दुपारी ३.०० वाजेपर्यंत उपलब्ध होतील. निविदा खरेदी करीता धनादेश, धनाकर्ष अथवा पोष्टल ऑर्डर स्विकारण्यात येणार नाही.
६. निविदा दरपत्रकासोबत दयावयाची रक्कम ही परिशिष्ट-१ मध्ये दर्शविलेल्या प्रमाणे रु.४०,०००/- (अक्षरी चाळीस हजार फक्त) चे राष्ट्रीयकृत बँकेच्या डिपॉझीट रिसिप्ट / डी.डी. / एफ.डी.आर. जिल्हाधिकारी यवतमाळ यांचे नावे काढलेल्या स्वरूपात स्विकारले जाईल.
७. निविदा मध्ये देण्यात आलेल्या दराची विधी ग्राह्यता संबंधिताचे करारपत्राचे दिनांकापासून एक वर्षापर्यंत बंधनकारक राहिल.
८. निविदा पत्रक खरेदीबाबत कार्यालयाने ठरवून दिलेल्या रकमेनुसार सदर रक्कम शासन जमा करून खरेदी करण्यात आलेली निविदाच स्विकारण्यात येईल. ( शासकिय पावतीचा क्रमांक व पावतीचा झेरॉक्स निविदामध्ये आवश्यक नमुद/ जोडावी.) बंद निविदा पाकीटावर ठळक अक्षरात जिल्हाधिकारी यवतमाळ यांचे अधिनस्त आपत्ती व्यवस्थापन असे स्पष्ट लिहावे.

(.. २ ..)

(.. २ ..)

९. प्राप्त झालेले निविदापत्रक दिनांक १३/०१/२०१२ ला दुपारी ४.०० वाजता जिल्हाधिकारी कार्यालय, यवतमाळ येथे मा.जिल्हाधिकारी यांनी निर्देशीत केल्याप्रमाणे उघडण्यात येईल. निविदा धारक/ त्यांचे प्रतिनिधी यांना उपस्थितीत रहावे लागेल.
१०. पुरवठा धारकांनी परिच्छेद अनुक्रमांक १ ते ३७ अंतर्गत साहित्यांचे तपशिलवार नुसार (मेक नुसार) दर नोंदविणे, तसेच तपशिलवार प्रमाणे (मेक नुसार) दिलेल्या साहित्याचाच त्यांना पुरवठा करणे बंधनकारक राहिल व त्यांची सर्वस्वी जबाबदारी निविदाधारकांची राहिल. पुरवठा करणारी यंत्रे/ साहित्य चांगल्या प्रतीचे / ISI / ISO/ MMD / CEI / EN द्वारे प्रमाणीत आसावेत..
११. वाणिज्य निविदा मध्ये वाणिज्य व तांत्रिक निविदा मध्ये तांत्रिक स्वरूपातील कागदपत्रे सोबत जोडावी.
१२. तांत्रिक निविदामधील कागदपत्रे पूर्ण बरोबर असल्यावरच वाणिज्य निविदा उघडण्यात येतील. सर्व कागदपत्रे व्यवस्थीतपणे पूर्ण नसतील तर वाणिज्य निविदा उघडण्यात येणार नाही म्हणजेच ती निविदा फक्त दप्तरी दाखल केली जाईल.
१३. निविदा धारकांनी निविदा सादर करतांना साहित्य पुरवठा करणेसंबंधी कंपनीने त्यांना प्राधिकृत केल्याबाबतचे हमीपत्र सोबत जोडने बंधनकारक राहिल.
- अ.) निविदा मंजूर झाल्यानंतर प्राधिकृत पुरवठा धारकांनी साहित्य पुरवितांना साहित्य तयार करण्यात येणाऱ्या कंपनीमधील वरीष्ठ अधिकाऱ्याकडून सदर साहित्यांची पडताळणी झाल्याबाबतचे प्रमाणपत्र सादर करणे बंधनकारक राहिल.
- ब.) साहित्य पुरवठा झाल्यानंतर सदर साहित्य हाताळण्याबाबतचे प्रशिक्षण संबंधीत प्रशिक्षणार्थी यांना देणे बंधनकारक राहिल.
- क.) सदर साहित्यात बिघाड झाल्यास त्या साहित्याची दुरुस्ती वेळेच्या आंत दुरुस्ती करणे बंधनकारक राहिल.
१४. निविदा मंजूरीनंतर पुरविण्यात येणारे साहित्याची ने-आण करतांना साहित्यात काही बिघाड अथवा मोडतोड झाल्यास त्याची सर्वस्वी जबाबदारी पुरवठा धारकाची राहिल.
१५. पुरवठा धारकांनी साहित्या बद्दलची WARRANTY व POST WARRANTY ची योग्य माहिती देणे बंधनकारक राहिल.
१६. पुरवठा धारकांनी उक्त साहित्य हाताळण्याबाबतचा मागील ५ वर्षांचा अनुभव असल्याबाबतचे प्रमाणपत्र तसेच आतापर्यंत सदर साहित्य पुरविण्यात आलेल्या व सदर साहित्य चांगल्या प्रतीचे असल्याबाबतचे प्रमाणपत्र सादर करावे लागेल.
१७. विक्रीकर नोंदणी प्रमाणपत्र व विक्रीकर कार्यालयाचे पडताळणी प्रमाणपत्र सोबत जोडावे.
१८. वरील साहित्याबाबतचे संपुर्ण माहिती पुस्तक व सुचिपत्रक सोबत जोडणे अनिवार्य राहिल.
१९. सदर साहित्याची तपासणी व हमीपत्र सोबत जोडावे लागेल.
२०. सदर पुरवठा केल्यानंतर सदर साहित्याची देखभाल व दुरुस्तीची ठरविण्यात आलेली मर्यादा असेल त्यानंतर आपणास सदर साहित्याची विनामुल्य देखभाल व दुरुस्ती करण्याबाबतची मर्यादा कमीत कमी १ वर्ष देखभाल व दुरुस्ती करणे बंधनकारक राहिल.

(.. ३ ..)

(.. ३ ..)

२१. पुरवठा केलेल्या साहित्यांच्या रक्कमेचे भुगतान प्राप्त झालेल्या साहित्याची पडताळणी केल्यानंतर व साहित्य चांगल्यास्थितीत मिळाल्याची खात्री झाल्यानंतरच करण्यात येईल.
२२. करारानामा केल्यानंतर कराराचा कालावधी पूर्ण होण्यापूर्वीच जर काम सोडण्यात आले तर पुरविण्यात आलेल्या साहित्याचे देयक अदा करण्यात येणार नाही व सुरक्षा ठेव जमा करण्यात येईल. सदर दर करार दुसऱ्या एंजन्सीकडून पुढील कालावधीत करण्यात येईल.
२३. निविदाधारकांने त्यांचे नाव/ पूर्ण पत्ता दर पत्रकाच्या आवरणावर व (ड) पत्रकात देणे आवश्यक आहे.
२४. दरपत्रक परिशिष्ट किंवा त्यास संलग्न प्रपत्र यामध्ये कोणत्याही प्रकारचे कमी व जास्त बदल किंवा खाडाखोड असल्यास निविदा स्विकारल्या जाणार नाही.
२५. निविदे संदर्भात कोणताही वाद निर्माण झाल्यास त्यावर निर्णय घेण्याचा अधिकार जिल्हाधिकारी यांना राहिल व तो निर्णय अंतीम असेल.
२६. कोणतेही कारण न देता निविदा पत्रकात दर्शविलेले दर (अंशतः किंवा पूर्णतः ) अमान्य किंवा मान्य करण्यास पूर्ण अधिकार जिल्हाधिकारी यवतमाळ यांना आहे.
२७. प्राप्त निविदेपैकी कोणतीही अथवा सर्वच निविदा कोणतेही कारण न देता रद्द करण्याचे अधिकार जिल्हाधिकारी यांनी राखून ठेवलेले आहेत.
२८. कोणतीही निविदा पूर्णपणे किंवा त्या निविदेचा काही भाग स्विकारणे अगर नामंजूर करणे याबाबतचा अधिकार या कार्यालयाने राखून ठेवलेला आहे.
२९. जर दोन किंवा अधिक निविदाधारकांनी निविदेमध्ये दिलेले दर सारखेच असतील तर जिल्हाधिकारी यांना प्राप्त निविदेपैकी कोणतीही निविदा स्विकारण्याचा/ नाकारण्याचा/ अथवा काम विभागून देण्याचा अधिकार राहिल. त्यांनी घेतलेला निर्णय अंतीम राहिल.
३०. साहित्य देते वेळी ज्या अधिकारी/ कर्मचाऱ्यांचे स्वाधीन करण्यात येईल त्यांचे देयकावर स्वाक्षरी घेणे बंधनकारक राहिल किंवा या शाखेत नोंद घेणे जरूर राहिल.
३१. साहित्य पुरवठा मर्यादेच्या काळात सदर साहित्यात बिघाड झालेल्या साहित्याची शक्यतो येथेच दुरुस्ती करावी लागेल. सदर साहित्याची दुरुस्ती कार्यालयात होत नसल्यास संबंधित शाखेतील प्रभारी अधिकारी यांचे परवानगीने ते दुरुस्ती करीता वर्कशॉपमध्ये नेण्यास हरकत राहणार नाही. जी यंत्र सामुग्री वर्कशॉप मध्ये दुरुस्ती करीता नेण्यात येईल, त्यांची नोंद संबंधित शाखेतील लिपीकाकडे न चुकता नोंद करून द्यावी. ही आपली जबाबदारी राहिल. तसेच दुरुस्तीकरीता येणाऱ्या आपल्या प्रतिनिधीकडे आपल्या कंपनीचे ओळखपत्र असणे अनिवार्य आहे. अन्यथा मशिनला तपासणी करण्याची परवानगी देण्यात येणार नाही.
३२. निविदा मंजूर झाल्यानंतर सदर साहित्याचा पुरवठा आदेश मिळाल्यापासुन १० दिवसाचे आंत पुरवठा करणे बंधन कारक राहिल.
३३. निविदाधारकास भारतीय दंड संहितेच्या कोणत्याही कलमान्वये शिक्षा झाली असल्यास/ काळ्या यादीत घोषित केले असल्यास किंवा त्याबाबत कार्यवाही सुरु असल्यास अशा निविदाधारकांनी स्वतः किंवा त्यांचे नातेवाईकांचे नावाने निविदा भरु नये ही बाब निदर्शनास आल्यास अशा निविदाधारकांना देण्यात आलेले कंत्राट रद्द करण्याचा अधिकार जिल्हाधिकारी यांना राहिल.

(.. ४ ..)

(.. ४ ..)

३४. निविदा एक पेक्षा जास्त निविदाधारकास विभागून मंजूर करण्यात आल्यास प्रत्येक ठेकेदारास सुरक्षाठेव म्हणून राष्ट्रीयकृत बँकेची गॅरंटी डी.डी./ एफ.डी.आर स्वतंत्रपणे देणे बंधनकारक राहिल.
३५. निविदाधारकाची निविदा मंजूर झाल्यानंतर तात्काळ रु.१००/- चे बॉण्ड पेपरवर करारनामा करून देऊन त्यासोबत ०३ % सुरक्षाठेव म्हणून राष्ट्रीयकृत बँकेची गॅरंटी (हमीपत्र) डी.डी./ एफ.डी.आर. देणे बंधनकारक राहिल.
३६. खाजगी ठेकेदारांना अदा करण्यात आलेल्या देयकातुन व्हॅट, सेल टॅक्स इ.कराबाबत शासनाचे धोरणानुसार कपात करण्यात येईल.

(मुळ प्रत मा.जिल्हाधिकारी यांचे स्वाक्षरीत)

स्वा /-  
जिल्हाधिकारी तथा अध्यक्ष,  
जिल्हा आपत्ती व्यवस्थापन प्राधिकरण,  
यवतमाळ करिता

(.. ५ ..)

(.. ५ ..)

परिशिष्ट - १

निविदा व अटी/ शर्ती निविदा अर्जासोबत दिलेल्या आहेत.

**लिफाफा क्र.१ :- तांत्रिक निवीदेचा लिफाफा**

१. संस्थेचे शासनमान्य प्रमाणपत्र व रजिस्ट्रेशन नंबर.
२. साहित्य पुरवठा करणेसंबंधी कंपनीने प्राधिकृत केल्याबाबतचे प्रमाणपत्र.
३. कामकाजाच्या अनुभवाबाबत तपशिलवार माहिती.
४. विक्रीकर व आयकर भरल्याबाबतचे प्रमाणपत्र/ पुराव्यासह.
५. साहित्याबाबतचे संपुर्ण माहिती पुस्तक व सुचिपत्र जोडणे अनिवार्य आहे.
६. साहित्याचे तपासणी व हमीपत्र..
७. देखभाल व दुरुस्तीकरणेबाबत हमीपत्र..
८. फक्त राष्ट्रीयकृत बँकेचा जिल्हाधिकारी तथा अध्यक्ष, जिल्हा आपत्ती व्यवस्थापन प्राधिकरण समिती, यवतमाळ यांचे नावाचा अनामत रक्कम रुपये ४०,०००/-चा धनाकर्ष..

वरील सर्व प्रमाणपत्राच्या साक्षांकीत सत्यप्रती लिफाफा क्र.१ मध्ये सादर केलेल्या सर्व मुळ प्रमाणपत्रे सादरीकरणाचेवेळी अर्जदाराने पडताळणीसाठी स्वतःजवळ ठेवणे आवश्यक राहिल.

(सदर लिफाफ्यावर जिल्हाधिकारी तथा अध्यक्ष, जिल्हा आपत्ती व्यवस्थापन प्राधिकरण समिती, अंतर्गत यवतमाळ जिल्ह्यात आपत्ती सौम्यीकरण उपाय योजनेअंतर्गत शोध व बचाव साहित्य बाबतचा लिफाफा क्र.-१ तांत्रिक लिफाफा असे लिहावे.)

**लिफाफा क्र.२ :- वाणिज्य निवीदेचा लिफाफा**

यामध्ये विहित केलेल्या प्रपत्रकात दर भरून लिफाफा सिलबंद करून सादर करावा.

(सदर लिफाफ्यावर निविदाधारकाने स्वतःचे नांव, जिल्हाधिकारी तथा अध्यक्ष, जिल्हा आपत्ती व्यवस्थापन प्राधिकरण समिती, अंतर्गत यवतमाळ जिल्ह्यात आपत्ती सौम्यीकरण उपाय योजनेअंतर्गत शोध व बचाव साहित्य बाबतचा लिफाफा क्र.-२ वाणिज्य लिफाफा असे लिहावे.)

**लिफाफा क्र.३ :-**

यामध्ये वरील दोन्ही लिफाफे टाकून त्यावर लिफाफा क्र.३ असा उल्लेख करावा. लिफाफा क्र.१ मधील कागदपत्रे व्यवस्थित पणे पुर्ण नसतील तर लिफाफा क्र.२ उघडला जाणार नाही. म्हणजेच ती निविदा फक्त दप्तरी दाखल केली जाईल.

(.. ६ ..)

(.. ६ ..)

तांत्रिक निवीदा-लिफाफा क्र.१

यवतमाळ जिल्हयात आपत्ती सौम्यीकरण उपाय योजनेअंतर्गत शोध व बचाव साहित्य बाबतचा निवीदा अर्ज.

-- निवीदा अर्ज --.

१. निवीदा धारकाचे नांव :-
२. संपुर्ण पत्ता / दुरध्वनी क्रमांक :-
३. संस्थेचे नांव :-
४. अर्जासोबत सुरक्षा ठेव म्हणुन जमा करण्यात आलेली रक्कम व धनाकर्ष / पावतीचा अनुक्रमांक:-
५. निवीदा सोबत जोडण्यात येणारे कागदपत्र (खालील प्रमाणे)
  - (१) संस्थेचे प्रमाणपत्र
  - (२) आयकर प्रमाणपत्र.
  - (३) बयाना रकमेचा धनाकर्ष किंवा डी.डी. क्रमांक व दिनांक

दिनांक :-

स्थळ :-

निवीदा धारकाचे संपुर्ण नांव, पत्ता व स्वाक्षरी

(.. ७ ..)

(.. ७ ..)

**जिल्हाधिकारी कार्यालय, यवतमाळ..**

आपत्ती व्यवस्थापन सौम्यीकरण व आपत्तीपुर्व कामे अधिक प्रभावी करण्यासाठी आवश्यक शोध व बचाव साहित्यसामुग्री व उपकरणे यांचा पुरवठा करण्यासाठी भरावयाचे दरपत्रक निविदाधारकांने भरावयाची माहिती..

SR. No.	Item	(Approximately) Requirement	Per Unit/ Each cost	Description
1.	Life Jacket	225		
2.	Life Buoys	225		
3.	Mega Phone (Battery)	19		
4.	Tents Cotton double flap Size 10 by 10	10		
5.	Manila Rope ( 3 Inch.) 300 fit fit length (Bundle)	06		
6.	Manila rope ( 2 Inch.) 300 fit fit length (Bundle)	06		
7.	First Aid Kit	350		
8.	Hammer 15 lbs	06		
9.	Hammer 10 lbs	06		
10.	Torch (5 Cell)	40		
11.	Helmet	40		
12.	Helmet with Torch	18		
13.	Head light	17		
14.	Hand Gloves lether	50		
15.	Gum Boots	80		
16.	Rain Coat	120		
17.	Nylon Rope 12 mm – 300 fit length BOB	40		
18.	Showel (Hand Powda)	50		
19.	Tikaw	20		
20.	Pawda with handle	40		
21.	Plastic Topale	60		
22.	Blankets	50		
23.	Search light with wire	10		
24.	Stretchers Almonium Folding	17		
25.	Stratchers Floting	17		
26.	Rope & Rescue kit	03		
27.	Areo Mark Gun	02		
28.	Puncture Kit	01		
29.	Reflective Jaktas	02		
30.	Bainacular	07		
31.	Cara biner	30		
32.	Chain Saw (Petrol/Disel)	01		
33.	Emergency Braslet	01		
34.	Portable Genrator 2.5 KV	01		
35.	Night Vision	02		
36.	Lightinig Arrester	12		
37.	Sony Camera	01		

**निविदाधारकाने दयावयाचे प्रमाणपत्र.**

मी / आम्ही-----प्रतिज्ञापूरवक लिहून देतो की, आपत्ती व्यवस्थापन सौम्यीकरण व आपत्तीपुर्व कामे अधिक प्रभावी करण्यासाठी आवश्यक शोध व बचाव साहित्यसामुग्री व उपकरणाबाबतची पुर्ण माहिती असून मी/ आम्ही माझे/ आमचे साहित्याचे दर त्यास अनुसरून देत आहे. याबाबतचा मी/ आम्ही काळजीपूरवक अभ्यास केला असून मला/ आम्हाला संपुर्ण समजलेला आहे. जिल्हाधिकारी किंवा त्यांचे सहाय्यक मान्य करिल अशी उत्कृष्ट दर्जाची साहित्यसामुग्री व उपकरणे पुरवठा करण्याची मी/ आम्ही प्रतिज्ञा करतो व त्यांनी दिलेले निर्णय मला/ आम्हाला बंधनकारक असतील.

दिनांक :- -----

स्थळ :- -----

निवीदा धारकाचे संपुर्ण नांव, पत्ता व स्वाक्षरी

# TECHNICAL SPECIFICATIONS

S. No.	Description
<b>1. LIFE JACKET</b>	<p>manufactured from soft Polythelene foam with high-visibility orange colour fabric, reflective stickers chemically resistant to sea water and petroleum products. Quick turning time and high freeboard in water owing to special construction. (Even is a person falls into water in unconscious state with face downwards the body will automatically turn upwards due to the buoyancy of the jacket). Foam filled jacket having floatability of 16.5 kg. Size : 80 / 92 x 37 x 10 cm approx With 3 M reflective tape and whistle Cover – nylon and orange in colour Foam – soft neoplene foam and airex. With suitable Velcro/Straps for securing Life jacket will be provided with markings made from the reflective tapes at the back side. Approved by MMD (Valid Certificate to attach)</p>
<b>2. LIFE BUOY</b>	<p>Manufactured from durable synthetic material in bright orange colour and requires no maintenance Totally moisture proof and non-inflammable N-glow reflective material which identifies victims in distress OD : 72 cm, ID : 43 cm, Buoyancy : 16 kg. Approved by MMD (Valid Certificate to attach).</p>
<b>3. Megaphone:</b>	<p>The Megaphone should have a output of 25 Watts and a voice range of 0.6 km. It should be able to operate on 12V battery and have easy connection to connect to a car / jeep battery. It should also have provision to run on Dry UM -1 cells. It should have provision for connection of external speaker for louder sound. Standard Accesory: 2 mikes 1 Auxillary input</p>
<b>4. TENTS COTTON DOUBLE FLY (Size 10 x 10)</b>	<p><b>Double fly Tent</b> - Outerfly will be made of 500 gsm Canvass ~ Waterproof &amp; Rotproof , innerly will be made of 500 gsm Canvas. Poles will be Steel (Powder Coated) 38mm dia. There will be 2 doors with lacing arrangements.</p>
<b>5. Manila Rope ( 3 Inch.) 300 feet length (Bundle)</b>	<p>ISI marked.It have good quality authorised by reputed farm and capable to evacuate to persons in disaster.</p>
<b>6. Manila rope ( 2 Inch.) 300 feet length (Bundle)</b>	<p>ISI marked.It have good quality authorised by reputed farm and capable to evacuate to persons in disaster.</p>
<b>7. FIRST AID KIT</b>	<p>The First Aid Kits are designed for mobile and stationery use. Clearly visible, durable and secure in their wall holders, the kits can be easily opened. Most kits have a 90° adjustments block attached below the wall holder which ensures an instant overview and comfortable removal of items one the kits are opened while mounted on the wall holder. The kits can also be taken out of their holders quickly and taken directly to the scene of the accident. Box casing : Made of robust high grade ABS plastic Retains its shape , impact resistant &amp; temperature resistant Completely maintenance free.</p>

Kits can be dismantled into individual parts for cleaning purpose. The contents are optimally protected against water droplets and dust by the continuous neoprene rubber seal.

Technical Specifications :

- Dimensions : 38.5 x 27.2 x 13.8 cm
- Colour : High Visible Safety Orange
- 90° Adjustment – Block clicks on to the wall bracket to hold the kit in 90° when opened.
- Complying Standards : OSHA/ANSI Z308.1-2009 Type III or Indian Factories Act Class III/Type C

#### CONTENT LIST OF FIRST AID KIT

Sr.No.	Contents	Qty
1	Absorbent Compress	3
2	Adhesive Bandages	32
3	Adhesive Tape	3
4	Triple Antibiotic Gel Sachets	6
5	First Aid Guide	1
6	Medical Exam Gloves	4
7	Sterile Pad	4
8	Pain Spray	1
10	Burn Spray	1
11	Antiseptic Spray	1
12	Scissors	1
13	Tourniquet	1
14	Tweezers	1
15	Snake Bite antiseptic	1
16	Elastic Bandage Compress (2 inch)	6
17	Elastic Bandage Compress (3 inch)	4
18	Elastic Bandage Compress (4 inch)	2
19	CPR Mask	2
20	Burn Dressing	2
21	Instant Cold Pack	3
22	Eye Covering with means of attachments	3
23	Eye wash pods	5
24	Hand sanitizers	6
25	Elastic Roller Bandage 4''	4
26	Elastic Roller Bandage 2''	6
27	Cotton 15 gms	3
28	Insect sting relief wipes	10
29	Fever scan	2
30	Light Stick	2
31	Rescue Sheet	1

**8. Hammer 15 lbs (for Purpose of Search & Resque team.)**

**9. Hammer 10 lbs (for Purpose of Search & Resque team.)**

**10. Torch (5 Cell) (Still Body, Heavy Duty for Purpose of Search & Resque team.)**

**11. HELMET (for Purpose of Search & Resque team.)**

Lightweight helmet with comfort foam that is barely felt on the head. Shock is absorbed by deformation of the expanded polystyrene liner.

Centre fit adjustment system ensures centering and optimal stability of the helmet on the head.

Ventilation holes

Side slots for mounting hearing protection.

Inserts for accepting vizir face shield

Slot for mounting pixa head lamp.

4 Clips for mounting a headlamp with an elastic headband.

Chin strap design to limit risk of losing helmet during a fall.

Two thicknesses of foam bands included for customized fit.

Size 53-63 cm.

Weight : 340 g

Certification : CE, EN12492 UIAA ANSI Z89.1-2009 type 1 Class C

Meets the requirement of EN 397 & EN 12492 Standards for protection against impact

## **12. Helmet Torch**

Unlike conventional flashlights that have a yellowish beam, the flashlight uses a hi-intensity

Xenon lamp that produces a powerful, bright beam. Use this compact flashlight to cut through thick smoke, fog and dust. It is submersible and comes with a twist-on shroud. It is ideal for any situation. Powered by 2 AAA alkaline cells.

Packaged Weight : 2.4 oz

## **13. Head Light**

The head lamp should have 12 LED cells working on 3 pencil cells. The Minimum light range should be 30 mtrs. It should have elastic head band so that it can be used with or without helmet

## **14. Hand Gloves leather :- (for Purpose of Search & Resque team.)**

## **15. GUMBOOTS :- (for Purpose of Search & Resque team.)**

**Gumboots :** Design Wellington, size 5 x 11, Height 356 + 10 mm,

**Toe :** Steel toe cap,

**Thickness :** Sole-12.5 mm, Heel – 28mm

**Material :** Sole-Polyvinyl Chloride (Hard), Upper Polyvinyl Chloride ( soft )

**Hardness :** Sole /heel 60 + 5 A

**Sole Design :** Anti-skid Lug sole

**Flexing Endurance :** Upper 1,50,000 cycle

(De Matin), Sole : 50,000 cycle ( Ross )

**Leak Proofness :** No leakage when air with pressure of 1.5kg is forced in to the boot.

## **16. Rain Coat :-** The rain coat should have efficient to cover all body. The set up rain coat must have good quality . It should be working in heavy rain and having a good authorized company, it also approved by Govt authorities with special mark.Rain Coats Waterproof - Rubberised Colour: Black, **Size (cms.): 127 /132 / 137 / 143**

## **17. Nylon Rope 12 mm – 300 fit length BOB**

ISI marked.It have good quality authorised by reputed farm and capable to evacuate to persons in disaster.

## **18. Showel (Hand Powda) :- Shovel Round Nose (General Purpose)**

Wooden Handle, blade weight 1.6 (kg), Handle length 685 (mm), Type ' T '  
Item Description Shovel Hand (Complete fitted with Handle)

## **19. Tikaw :- (General Purpose) Wooden Handle (Complete fitted with Handle) 2.5 feet.**

## **20. Pawda with handle :- (General Purpose) Wooden Handle (Complete fitted with Handle) Guage-24, Weight-1.00 Kg.,**

## **21. Plastic Topale :- (General Purpose) (for Search & Resque team.) Diameter 18. Inch**

**22. Blankets :- Blanket, Barrack, Type "A", Natural Grey.  
(for Purpose of Search & Resque team.)**

**Blanket Woolen Dyed with Fineness of wool 58 s Size Colour 230 cm x150 cm as per indentors Requirement.**

**Blanket Woolen Dyed with Fineness of wool 64 s Size Colour 230 cm x150 cm as per indentors Requirement.**

**23. SEARCH LIGHT WITH WIRE**

- Super LED spotlight (up to 247 lumens)
  - 2 brightness modes – bright mode & eco-mode
  - SOS distress signal
  - Color shaded emergency blinking light
  - Emergency light
  - Battery level indicator
  - Dual recharge, either AC/DC charger or 12V DC car plug adaptor Weatherproof construction
  - Range : 1 km

**STRETCHERS**

**24. ALLUMINIUM FOLDING STRETCHER**

It should be made of High Alluminium Alloy & Two Foldway i.e, lengthwise as well as widthwise

1. made of high quality alluminum alloy
2. High quality Nylon/ Canvas/ PVC material
3. It should be a portable
4. It should be of light weight
6. Load limit should be : 159 Kg.

**25. STRETCHER FLOATING**

The floating stretcher should be made of 120 GSM spun bond non woven fabric and above floating material of 1 thick PU foam

Length- 6'3" (75inch) , Width- 3' 3" (39 inch) and Thickness- 1.5" in open condition, Length -24 inch ,Width- 18 inch and thickness 6 inch at folding condition

The stretcher should have provision for carrying burned victim such that only his face is visible and also for provision of carrying dead body to completely pack inside the stretcher.

**26. Rope & Rescue kit**

Carabiners 26/10/10 kn EN 12275, EN 362 : 2005/B, CE 0123, Gate opening = 15 mm	10 nos.
Descender 30 Kn Weight 112 gms	4 nos.
Single Pulley 22 Kn CE 1019, Side Plates can be opened to fit in upto 12 mm rope	4 nos.
Double Pulley 30 Kn Weight = 459 gms, Side plates can be opened to fit ropes upto 16mm diameter	2 nos.
Tandem Pulley 22 Kn	2 nos.
Ascender 4 kn EN 567, Ropes from 8-11 mm, Weight = 220 gms	1 pair
Seat Harness	6 nos.
Rapelling Mittons	2 pairs
Leather Hand Gloves	8 pairs
Karnamental rope 8 mm	300 mtr.
Karnamental rope 10 mm	300 mtr.
Karnamental rope 12 mm	200 mtr.
Suspension Chair	2 nos.
Back Pack	1 no.

**27. AERO MARK GUN :- (for Purpose of Search & Resque team.)**

**28. PUNCTURE KIT :- (for Purpose of Ruber Boat Repair.)**

**29. RELFECTIVE JACKETS**

- Provision of One horizontal And Two Vertical Reflective tape
- Fabric is 100% polyester
- Available in Orange / Lime Green Colors
- Super light weight high visibility orange/ Lime Green vest with reflective tape offers day and night visibility.
- Breathable perforated cloth mesh allows air and moisture through, enabling the vest. To be worn over clothing in any weather.
- Universal one-size fits all design features. Hemmed edges for durability and neatness.

**30. BINOCULAR :- (for Purpose of Search & Resque team.)**

The standard Porro Prism easily focused, wide-angle views that are great for keeping up with fast moving subjects, has 8-16 x zoom/ 10x /8x/7x optical power, and provides UV ray protection so you never have to worry about the sun.

Features :

- Wide-angle field of view for fast moving subjects
- Rugged, high-quality finish with sure-grip rubber coating.
- UV-ray protection for worry free viewing
- Anti reflective lens coating for better image brightness, contrast and quality.
- Large centre focus knob for fast, easy focusing.
- Built in dioptic correction adjusts to individual eyesight

**31. CARABINER**

Scaffold hook : Self closing manual locking steel scaffold hooks. Strength : 20 kN  
Opening: 50 mm .Should confirm EN 362  
Self Closing, Manual Locking, Steel Karabiner. Nut lock type on gate to prevent jamming or loosing from vibration. Strength : 15 kN. Opening : 17 mm. Should confirm to EN 362

**32. CHAIN SAW (PETROL)**

One Man Chain Saw – Petrol Engine Operated  
Bar Length 60 cm, Engine 74 CC , Fuel Capacity(Liter): 0.7, Cutting Capacity: 170 cm, Weight(Kg.) : 7.0.

**33. EMERGENCY BRACELET**

The bracelet cover should be made of Polycarbonate with TPE coating, base from durable ABS plastic & strap from highly elastic silicon that can withstand 200°C (392 °F) and such that it will fit everyone irrespective of the wrist sizes.

The bracelet should switch from standby mode to active mode automatically and the powerful LED torch in the front should switch on when worn on the wrist. It should switch off when removed.

A manual activation button should be provided which when activated gives out an alarm of 90 db at a distance 3 mtrs with flashing red LED lights.

The alarm should automatically activate if there is no movement of the user for a period of 25 seconds and should increase in volume after 10 seconds and stop automatically if a movement is detected.

A powerful lithium battery should ensure the device remains functional even if not used for 6 years.

The product should be tested according to EN 61000-6-3 (2007) & EN 61000-6-2 (2005)  
The bracelet should be waterproof up to a depth of 1 mtr under water and IP 67 certified. It should also be CE marked.

### **34. PORTABLE GENERATOR GENERATOR**

Engine Parameters :  
Ignition System : TCI  
Starting System : Recoil Starter  
Fuel Tank Capacity (L) (Kerosene run) : 9.1  
Fuel Tank Capacity (L) (Petrol Starting) : 0.95  
Continuous running hours (Hrs) : 6.75 hrs  
Generator Parameters  
Frequency (Hz) : 50  
Rated Output (VA) : 1400 VA  
Maximum Output (VA) : 1600 VA  
DC Output  
Dry Weight (kg) : 76  
L x W x H (mm) : 890 x 431 x 686  
**Standard Features**  
Fuel Cock : Plunger Type

### **35. NIGHT VISION**

Compact, lightweight monocular offers outstanding clarity in the darkest conditions.  
Night Vision Uses  
Technical Specifications :  
Magnification x Obj. Lens : 2.5 x 42 mm  
Tripod Mount : Yes  
Field of view (ft@1000 yds /m@1000m) : 79/26  
Infrared Illuminator : Built in  
Weight (oz/g) : 14/397  
Battery Type : AA(2)  
Viewing Range (ft/m) : 4.600/1.2-183

### **36. LIGHTING ARRESTER :-**

37. **SONY CAMERA** :- (Model – DSC-HX100V) **16.2 mega pixal**,  
3D Still Image and 3D Sweep Panorama, 30x Optical Zoom, 27mm wide angle  
Carl Zeiss® Vario-Sonar® T lens

(टिप :- निविदा उघडण्याचे दिवशी उपरोक्त साहित्याचा नमुना  
(Sample) प्रत्येकी एक नग सोबत घेऊन यावे.)

.. 00000 ..